HSE Labs INTELLIGENCE-LED TESTING





SE Labs tested a variety of anti-malware (aka 'anti-virus'; aka 'endpoint security') products from a range of well-known vendors in an effort to judge which were the most effective.

Each product was exposed to the same threats, which were a mixture of targeted attacks using well-established techniques and public email and web-based threats that were found to be live on the internet at the time of the test.

The results indicate how effectively the products were at detecting and/or protecting against those threats in real time.

MANAGEMENT

Chief Executive Officer Simon Edwards
Chief Operations Officer Marc Briggs
Chief Human Resources Officer Magdalena Jurenko
Chief Technical Officer Stefan Dumitrascu

TESTING TEAM

Thomas Bean Dimitar Dobrev Liam Fisher Gia Gorbold Pooja Jain

Jon Thompson Dave Togneri Jake Warren Stephen Withey

IT SUPPORT

Danny King-Smith Chris Short

PUBLICATION

Steve Haines
Colin Mackleworth

Website www.SELabs.uk
Twitter @SELabsUK
Email info@SELabs.uk
Facebook www.facebook.com/selabsuk
Blog blog.selabs.uk
Phone 0203 875 5000
Post SE Labs Ltd,
55A High Street, Wimbledon, SW19 5BA, UK

SE Labs is BS EN ISO 9001: 2015 certified for The Provision of IT Security Product Testing.

SE Labs is a member of the Microsoft Virus Information Alliance (VIA); the Anti-Malware Testing Standards Organization (AMTSO); and the Messaging, Malware and Mobile Anti-Abuse Working Group (M3AAWG).

AMTSO Standard reference: https://tinyurl.com/sel2019q3

© 2019 SE Labs Ltd

CONTENTS

| Introduction | 04 |
|---------------------------------------|----|
| Executive Summary | 05 |
| 1. Total Accuracy Ratings | 06 |
| Home Anti-Malware Protection Awards | 07 |
| 2. Protection Ratings | 08 |
| 3. Protection Scores | 10 |
| 4. Protection Details | 11 |
| 5. Legitimate Software Ratings | 12 |
| 5.1 Interaction Ratings | 13 |
| 5.2 Prevalence Ratings | 14 |
| 5.3 Accuracy Ratings | 14 |
| 5.4 Distribution of Impact Categories | 15 |
| 6. Conclusions | 15 |
| Appendix A: Terms Used | 16 |
| Appendix B: FAQs | 16 |
| Appendix C: Product Versions | 17 |
| Appendix D: Attack Types | 18 |

Document version 1.0 Written 27th September 2019



INTRODUCTION

Anti-malware is just one part of the picture

Beefing up security advice with facts

At SE Labs we spend our time testing things that are supposed to protect you but we also understand that securing your business, or your home network, is never as simple as installing one or more security products. The risks are many and varied, but the ways to mitigate them are often most successful with a good dose of common sense as well as the appropriate technology. You just need to think things through carefully and make sensible decisions. Fortunately, there are some schemes out there to help you through the process.

In the UK small businesses might consider the **Cyber Essentials** certification, which helps you address the most common computer security threats. The five technical controls involve securing internet connections; using security devices and software; controlling access to data and services; using protection from viruses and other malware; and keeping devices and software updated. All good advice and worth following, whether or not you want to achieve certification in the UK.

However, while the advice is good it not very specific. For example, you should install anti-virus software but neither the documentation nor the consultants you talk to will tell you to choose a good product. Any anti-virus will do, it seems!

A more international option is **ISO 27001**, which is a Standard covering information security management systems. Completely over-the-top for home users and small businesses, but ideal for enterprises and smaller companies that work with sensitive data, this certification puts IT security into a central role in the way an organisation operates. It doesn't

specify what sort of anti-virus, firewalls and other systems should be used, but it leads you to research further and consider the risks when choosing security solutions.

So, while testing is not the be-all and end-all of choosing a good security system, it can definitely help. The testing behind this report is conducted in the most thorough and transparent way and the results are used by consultancies and large businesses around the world to help with purchasing decisions. This free report gives you an insight into the sort of advice that these large organisations follow when building a good security system.

If you spot a detail in this report that you don't understand, or would like to discuss, please contact us via our Twitter or Facebook accounts.

SE Labs uses current threat intelligence to make our tests as realistic as possible. To learn more about how we test, how we define 'threat intelligence' and how we use it to improve our tests please visit our website and follow us on Twitter.

This test report was funded by post-test consultation services provided by SE Labs to security vendors. Vendors of all products included in this report were able to request early access to results and the ability to dispute details for free. SE Labs has submitted the testing process behind this report for compliance with the AMTSO Testing Protocol Standard v1.2. To verify its compliance please check the AMTSO reference link at the bottom of page three of this report or here.

Executive Summary

Product Names

It is good practice to stay up to date with the latest version of your chosen endpoint security product. We made best efforts to ensure that each product tested was the very latest version running with the most recent updates to give the best possible outcome.

For specific build numbers, see Appendix C: Product Versions on page 17.

| EXECUTIVE SUMMARY | | | |
|-------------------------------|-----------------------------------|-----------------------------------|------------------------------|
| Products Tested | Protection Accuracy Rating (%) | Legitimate Accuracy Rating (%) | Total Accuracy Rating (%) |
| Kaspersky Internet Security | 100% | 100% | 100% |
| Sophos Home Premium | 100% | 100% | 100% |
| Symantec Norton Security | 100% | 100% | 100% |
| F-Secure Safe | 100% | 100% | 100% |
| McAfee Internet Security | 98% | 100% | 99% |
| Microsoft Windows Defender | 98% | 100% | 99% |
| ESET Internet Security | 97% | 100% | 99% |
| Check Point ZoneAlarm | 96% | 100% | 98% |
| Avast Free Antivirus | 94% | 100% | 98% |
| AVG Antivirus Free Edition | 94% | 100% | 98% |
| Avira Free Security Suite | 95% | 99% | 97% |
| Trend Micro Internet Security | 93% | 98% | 96% |
| Comodo Internet Security | 87% | 100% | 95% |
| G-Data Internet Security | 85% | 99% | 94% |
| Webroot Antivirus | 49% | 95% | 79% |

Products highlighted in green were the most accurate, scoring 85 per cent or more for Total Accuracy. Those in yellow scored less than 85 but 75 or more. Products shown in red scored less than 75 per cent.

For exact percentages, see 1. Total Accuracy Ratings on page 6.

The security software products were generally effective at handling general threats from cyber criminals...

Most products were largely capable of handling public web-

Most products were largely capable of handling public webbased threats such as those used by criminals to attack Windows PCs, tricking users into running malicious files or running scripts that download and run malicious files. **Webroot's** product was notably weaker than the others.

...and targeted attacks were prevented in many cases.

Many products were also competent at blocking more targeted, exploit-based attacks. However, while nearly all did very well in this part of the test **G-Data** was notably weaker than the competition.

■ False positives were not an issue for most products

Most of the products were good at correctly classifying legitimate applications and websites. The vast majority allowed all of the legitimate websites and applications. **Webroot's** was the least accurate in this part of the test.

■ Which products were the most effective?

Products from Kaspersky Lab, Sophos, Symantec and F-Secure achieved extremely good results due to a combination of their ability to block malicious URLs, handle exploits and correctly classify legitimate applications and websites.

1. Total Accuracy Ratings

Judging the effectiveness of an endpoint security product is a subtle art, and many factors are at play when assessing how well it performs. To make things easier we've combined all the different results from this report into one easy-to-understand graph.


The graph below takes into account not only each product's ability to detect and protect against threats, but also its handling of non-malicious objects such as web addresses (URLs) and applications.

Not all protections, or detections for that matter, are equal. A product might completely block a URL, which stops the threat before it can even start its intended series of malicious events. Alternatively, the product might allow a web-based exploit to execute but prevent it from downloading any further code to the target. In another case malware might run on the target for a short while before its behaviour is detected and its code is deleted or moved to a safe 'quarantine' area for future analysis. We take these outcomes into account when attributing points that form final ratings.

For example, a product that completely blocks a threat is rated more highly than one that allows a threat to run for a while before eventually evicting it. Products that allow all malware infections, or that block popular legitimate applications, are penalised heavily.

Categorising how a product handles legitimate objects is complex, and you can find out how we do it in **5. Legitimate Software Ratings** on page **12**.

| TOTAL ACCURACY RATINGS | | | |
|-------------------------------|-----------------------|--------------------|-------|
| Product | Total Accuracy Rating | Total Accuracy (%) | Award |
| Kaspersky Internet Security | 1,135 | 100% | AAA |
| Sophos Home Premium | 1,134 | 100% | AAA |
| Symantec Norton Security | 1,134 | 100% | AAA |
| F-Secure Safe | 1,130.5 | 100% | AAA |
| McAfee Internet Security | 1,127 | 99% | AAA |
| Microsoft Windows Defender | 1,126 | 99% | AAA |
| ESET Internet Security | 1,123 | 99% | AAA |
| Check Point ZoneAlarm | 1,118 | 98% | AAA |
| Avast Free Antivirus | 1,112 | 98% | AAA |
| AVG Antivirus Free Edition | 1,110 | 98% | AAA |
| Avira Free Security Suite | 1,105 | 97% | AAA |
| Trend Micro Internet Security | 1,093 | 96% | AAA |
| Comodo Internet Security | 1,082 | 95% | ААА |
| G-Data Internet Security | 1,070 | 94% | AA |
| Webroot Antivirus | 897 | 79% | С |



Total Accuracy Ratings combine protection and false positives.

Home Anti-Malware Protection Awards

The following products win SE Labs awards:


- Kaspersky Internet Security
- Sophos Home Premium
- Symantec Norton Security
- F-Secure Safe
- McAfee Internet Security
- Microsoft Windows Defender
- **ESET** Internet Security
- Check Point ZoneAlarm
- Avast Free Antivirus
- AVG Antivirus Free Edition
- Avira Free Security Suite
- Trend Micro Internet Security
- Comodo Internet Security



■ G-Data Internet Security



Webroot Antivirus



2. Protection Ratings

The results below indicate how effectively the products dealt with threats. Points are earned for detecting the threat and for either blocking or neutralising it.

Detected (+1)

If the product detects the threat with any degree of useful information, we award it one point.

■ Blocked (+2)

Threats that are disallowed from even starting their malicious activities are blocked. Blocking products score two points.

Complete Remediation (+1)

If, in addition to neutralising a threat, the product removes all significant traces of the attack, it gains an additional one point.

Neutralised (+1)

Products that kill all running malicious processes 'neutralise' the threat and win one point.

Persistent Neutralisation (-2)

This result occurs when a product continually blocks a persistent threat from achieving its aim, while not removing it from the system.

Compromised (-5)

If the threat compromises the system, the product loses five points. This loss may be reduced to four points if it manages to detect

the threat (see Detected, above), as this at least alerts the user, who may now take steps to secure the system.

Rating Calculations

We calculate the protection ratings using the following formula:

Protection Rating =

(1x number of Detected) +

(2x number of Blocked) +

(1x number of Neutralised) +

(1x number of Complete remediation) + (-5x number of Compromised)

The 'Complete remediation' number relates to cases of neutralisation in which all significant traces of the attack were removed from the target. Such traces should not exist if the threat was 'Blocked' and so Blocked results imply Complete remediation.

These ratings are based on our opinion of how important these different outcomes are. You may have a different view on how seriously you treat a 'Compromise' or 'Neutralisation without complete remediation'. If you want to create your own rating system, you can use the raw data from

4. Protection Details on page **11** to roll your own set of personalised ratings.

Targeted Attack Scoring

The following scores apply only to targeted attacks and are cumulative, ranging from -1 to -5.

Access (-1)

If any command that yields information about the target system is successful this score is applied. Examples of successful commands include listing current running processes, exploring the file system and so on. If the first command is attempted and the session is terminated by the product without the command being successful the score of Neutralised (see above) will be applied.

Action (-1)

If the attacker is able to exfiltrate a document from the target's Desktop of the currently logged in user then an 'action' has been successfully taken.

Escalation (-2)


The attacker attempts to escalate privileges to NT Authority/System. If successful, an additional two points are deducted.

■ Post-Escalation Action (-1)


After escalation the attacker attempts actions that rely on escalated privileges. These include attempting to steal credentials, modifying the file system and recording keystrokes. If any of these actions are successful then a further penalty of one point deduction is applied.

| PROTECTION RATINGS | | |
|-------------------------------|-------------------|-----------------------|
| Product | Protection Rating | Protection Rating (%) |
| Kaspersky Internet Security | 399 | 100% |
| F-Secure Safe | 398 | 100% |
| Sophos Home Premium | 398 | 100% |
| Symantec Norton Security | 398 | 100% |
| McAfee Internet Security | 391 | 98% |
| Microsoft Windows Defender | 390 | 98% |
| ESET Internet Security | 387 | 97% |
| Check Point ZoneAlarm | 382 | 96% |
| Avira Free Security Suite | 379 | 95% |
| Avast Free Antivirus | 376 | 94% |
| AVG Antivirus Free Edition | 374 | 94% |
| Trend Micro Internet Security | 373 | 93% |
| Comodo Internet Security | 346 | 87% |
| G-Data Internet Security | 338 | 85% |
| Webroot Antivirus | 197 | 49% |

Average 92%



Protection Ratings are weighted to show that how products handle threats can be subtler than just 'win' or 'lose'.




3. Protection Scores

This graph shows the overall level of protection, making no distinction between neutralised and blocked incidents.

For each product we add Blocked and Neutralised cases together to make one simple tally.

| PROTECTION SCORES | |
|-------------------------------|------------------|
| Product | Protection Score |
| Comodo Internet Security | 100 |
| F-Secure Safe | 100 |
| Kaspersky Internet Security | 100 |
| Sophos Home Premium | 100 |
| Symantec Norton Security | 100 |
| Trend Micro Internet Security | 100 |
| Check Point ZoneAlarm | 99 |
| ESET Internet Security | 99 |
| McAfee Internet Security | 99 |
| Microsoft Windows Defender | 99 |
| Avast Free Antivirus | 98 |
| AVG Antivirus Free Edition | 98 |
| Avira Free Security Suite | 98 |
| G-Data Internet Security | 95 |
| Webroot Antivirus | 81 |




Protection Scores are a simple count of how many times a product protected the system.

4. Protection Details

These results break down how each product handled threats into some detail. You can see how many detected a threat and the levels of protection provided.

Products sometimes detect more threats than they protect against. This can happen when they recognise an element of the threat but aren't equipped to stop it. Products can also provide protection even if they don't detect certain threats. Some threats abort on detecting specific endpoint protection software.

| PROTECTION DETAILS | | | | | |
|-------------------------------|----------|---------|-------------|-------------|-----------|
| Product | Detected | Blocked | Neutralised | Compromised | Protected |
| F-Secure Safe | 100 | 100 | 0 | 0 | 100 |
| Trend Micro Internet Security | 100 | 100 | 0 | 0 | 100 |
| Comodo Internet Security | 100 | 99 | 1 | 0 | 100 |
| Kaspersky Internet Security | 100 | 99 | 1 | 0 | 100 |
| Sophos Home Premium | 100 | 99 | 1 | 0 | 100 |
| Symantec Norton Security | 100 | 99 | 1 | 0 | 100 |
| McAfee Internet Security | 99 | 99 | 0 | 1 | 99 |
| Microsoft Windows Defender | 100 | 98 | 1 | 1 | 99 |
| ESET Internet Security | 99 | 98 | 1 | 1 | 99 |
| Avira Free Security Suite | 98 | 97 | 1 | 2 | 98 |
| Avast Free Antivirus | 99 | 95 | 3 | 2 | 98 |
| AVG Antivirus Free Edition | 99 | 94 | 4 | 2 | 98 |
| Check Point ZoneAlarm | 99 | 92 | 7 | 1 | 99 |
| G-Data Internet Security | 100 | 90 | 5 | 5 | 95 |
| Webroot Antivirus | 90 | 70 | 11 | 19 | 81 |




5. Legitimate Software Ratings

These ratings indicate how accurately the products classify legitimate applications and URLs, while also taking into account the interactions that each product has with the user. Ideally a product will either not classify a legitimate object or will classify it as safe. In neither case should it bother the user.

We also take into account the prevalence (popularity) of the applications and websites used in this part of the test, applying stricter penalties for when products misclassify very popular software and sites.

To understand how we calculate these ratings, see 5.3 Accuracy Ratings on page 14.

| LEGITIMATE SOFTWARE RATINGS | | |
|-------------------------------|----------------------------|-------------------------|
| Product | Legitimate Accuracy Rating | Legitimate Accuracy (%) |
| Avast Free Antivirus | 736 | 100% |
| AVG Antivirus Free Edition | 736 | 100% |
| Check Point ZoneAlarm | 736 | 100% |
| Comodo Internet Security | 736 | 100% |
| ESET Internet Security | 736 | 100% |
| Kaspersky Internet Security | 736 | 100% |
| McAfee Internet Security | 736 | 100% |
| Microsoft Windows Defender | 736 | 100% |
| Sophos Home Premium | 736 | 100% |
| Symantec Norton Security | 736 | 100% |
| F-Secure Safe | 732.5 | 100% |
| G-Data Internet Security | 732 | 99% |
| Avira Free Security Suite | 726 | 99% |
| Trend Micro Internet Security | 720 | 98% |
| Webroot Antivirus | 700 | 95% |



Legitimate Software Ratings can indicate how well a vendor has tuned its detection engine.

5.1 Interaction Ratings

It's crucial that anti-malware endpoint products not only stop — or at least detect — threats, but that they allow legitimate applications to install and run without misclassifying them as malware. Such an error is known as a 'false positive' (FP).

In reality, genuine FPs are quite rare in testing. In our experience it is unusual for a legitimate application to be classified as 'malware'. More often it will be classified as 'unknown', 'suspicious' or 'unwanted' (or terms that mean much the same thing).

We use a subtle system of rating an endpoint's approach to legitimate objects, which takes into account how it classifies the application and how it presents that information to the user. Sometimes the endpoint software will pass the buck and demand that the user decide if the application is safe or not. In such cases the product may make a recommendation to allow or block. In other cases, the product will make no recommendation, which is possibly even less helpful.

If a product allows an application to install and run with no user interaction, or with simply a brief notification that the application is likely to be safe, it has achieved an optimum result. Anything else is a Non-Optimal Classification/Action (NOCA). We think that measuring NOCAs is more useful than counting the rarer FPs.

| | None (Allowed) | Click to Allow (Default Allow) | Click to Allow/Block (No Recommendation) | Click to Block (Default Block) | None (Blocked) | |
|--------------------------|-------------------|-----------------------------------|---|-----------------------------------|-------------------|---|
| Object is Safe | 2 | 1.5 | 1 | | | А |
| Object is Unknown | 2 | 1 | 0.5 | 0 | -0.5 | В |
| Object is not Classified | 2 | 0.5 | 0 | -0.5 | -1 | С |
| Object is Suspicious | 0.5 | 0 | -0.5 | -1 | -1.5 | D |
| Object is Unwanted | 0 | -0.5 | -1 | -1.5 | -2 | E |
| Object is Malicious | | | | -2 | -2 | F |
| | 1 | 2 | 3 | 4 | 5 | |

Products that do not bother users and classify most applications correctly earn more points than those that ask questions and condemn legitimate applications.

| INTERACTION RATINGS | | | |
|-------------------------------|-------------------|-------------------|--|
| Product | None (Allowed) | None (Blocked) | |
| Avast Free Antivirus | 100 | 0 | |
| AVG Antivirus Free Edition | 100 | 0 | |
| Avira Free Security Suite | 100 | 0 | |
| Kaspersky Internet Security | 100 | 0 | |
| McAfee Internet Security | 100 | 0 | |
| Comodo Internet Security | 100 | 0 | |
| ESET Internet Security | 100 | 0 | |
| Microsoft Windows Defender | 100 | 0 | |
| Sophos Home Premium | 100 | 0 | |
| Symantec Norton Security | 100 | 0 | |
| Check Point ZoneAlarm | 100 | 0 | |
| Trend Micro Internet Security | 99 | 1 | |
| F-Secure Safe | 99 | 1 | |
| G-Data Internet Security | 99 | 1 | |
| Webroot Antivirus | 97 | 3 | |

5.2 Prevalence Ratings

There is a significant difference between an endpoint product blocking a popular application such as the latest version of Microsoft Word and condemning a rare Iranian dating toolbar for Internet Explorer 6. One is very popular all over the world and its detection as malware (or something less serious but still suspicious) is a big deal. Conversely, the outdated toolbar won't have had a comparably large user base even when it was new. Detecting this application as malware may be wrong, but it is less impactful in the overall scheme of things.

With this in mind, we collected applications of varying popularity and sorted them into five separate categories, as follows:

- 1. Very High Impact
- 2. High Impact
- 3. Medium Impact
- 4. Low Impact
- 5. Very Low Impact

Incorrectly handling any legitimate application will invoke penalties, but classifying Microsoft Word as malware and blocking it without any way for the user to override this will bring far greater penalties than doing the same for an ancient niche toolbar. In order to calculate these relative penalties, we assigned each impact category with a rating modifier, as shown in the table above.

| LEGITIMATE SOFTWARE PREVALENCE RATING MODIFIERS | | |
|---|-----------------|--|
| Impact Category | Rating Modifier | |
| Very High Impact | 5 | |
| High Impact | 4 | |
| Medium Impact | 3 | |
| Low Impact | 2 | |
| Very Low Impact | 1 | |

Applications were downloaded and installed during the test, but third-party download sites were avoided and original developers' URLs were used where possible. Download sites will sometimes bundle additional components into applications' install files, which may correctly cause anti-malware products to flag adware. We remove adware from the test set because it is often unclear how desirable this type of code is.

The prevalence for each application and URL is estimated using metrics such as third-party download sites and the data from Alexa.com's global traffic ranking system.

5.3 Accuracy Ratings

We calculate legitimate software accuracy ratings by multiplying together the interaction and prevalence ratings for each download and installation:

Accuracy rating = Interaction rating x Prevalence rating

If a product allowed one legitimate, Medium impact application to install with zero interaction with the user, then its Accuracy rating would be calculated like this:

Accuracy rating = $2 \times 3 = 6$

This same calculation is made for each legitimate application/site in the test and the results are summed and used to populate the graph and table shown under *5. Legitimate Software Ratings* on page *12*.

5.4 Distribution of Impact Categories

Endpoint products that were most accurate in handling legitimate objects achieved the highest ratings. If all objects were of the highest prevalence, the maximum possible rating would be 1,000 (100 incidents x (2 interaction rating x 5 prevalence rating)).

In this test there was a range of applications with different levels of prevalence. The table below shows the frequency:

| LEGITIMATE SOFTWARE CATEGORY FREQUENCY | | |
|--|----|--|
| Prevalence Rating Frequency | | |
| Very high impact | 32 | |
| High impact | 34 | |
| Medium impact | 14 | |
| Low impact | 10 | |
| Very low impact | 10 | |

6. Conclusions

Attacks in this test included threats that affect the wider public and more closely-targeted individuals and organisations. You could say that we tested the products with 'public' malware and full-on hacking attacks. We introduced the threats in a realistic way such that threats seen in the wild on websites were downloaded from those same websites, while threats caught spreading through email were delivered to our target systems as emails.

All of the products tested are well-known and should do well in this test. While we do 'create' threats by using publicly available free hacking tools, we don't write unique malware so there is no technical reason why any vendor being tested should do poorly.

Consequently, it's not a shock to see most of the products handle the public threats very effectively, although Webroot's product struggled. Targeted attacks were also handled well by most but caused some significant problems for G-Data's product.

The Comodo, F-Secure, Kaspersky Lab, Sophos, Symantec and Trend Micro products blocked all of the public and targeted attacks. Those same products, excepting those from F-Secure and Trend Micro, also handled all of the legitimate applications correctly.

Products from Check Point, ESET, McAfee and Microsoft follow up close behind. They all missed one public threat but stopped all other threats, including targeted attacks.

G-Data Internet Security stopped all of the public threats but only 20 of the 25 targeted attacks, while Webroot Antivirus missed 19 public threats but stopped all targeted attacks.

The leading products from Kaspersky Labs, Sophos, Symantec (Norton), F-Secure, McAfee, Microsoft, ESET, Check Point, Avast, AVG, Avira, Trend Micro and Comodo all win AAA awards.

Appendices APPENDIX A: Terms Used

| TERM | MEANING |
|-------------------------|---|
| Compromised | The attack succeeded, resulting in malware running unhindered on the target. In the case of a targeted attack, the attacker was able to take remote control of the system and carry out a variety of tasks without hindrance. |
| Blocked | The attack was prevented from making any changes to the target. |
| False positive | When a security product misclassifies a legitimate application or website as being malicious, it generates a 'false positive'. |
| Neutralised | The exploit or malware payload ran on the target but was subsequently removed. |
| Complete Remediation | If a security product removes all significant traces of an attack, it has achieved complete remediation. |
| Target | The test system that is protected by a security product. |
| Threat | A program or sequence of interactions with the target that is designed to take some level of unauthorised control of that target. |
| Update | Security vendors provide information to their products in an effort to keep abreast of the latest threats. These updates may be downloaded in bulk as one or more files, or requested individually and live over the internet. |

APPENDIX B: FAQs

A full methodology for this test is available from our website.

- The products chosen for this test were selected by SE Labs.
- The test was unsponsored.
- The test was conducted between 21st June to 8th August 2019.
- All products were configured according to each vendor's recommendations, when such recommendations were provided.
- Malicious URLs and legitimate applications and URLs were independently located and verified by SE Labs.
- Targeted attacks were selected and verified by SE Labs.
- Malicious and legitimate data was provided to partner organisations once the test was complete.
- SE Labs conducted this endpoint security testing on physical PCs, not virtual machines.
- The web browser used in this test was Google Chrome. When testing Microsoft products Chrome was equipped with the Windows Defender Browser Protection browser extension (https://browserprotection.microsoft.com).

What is a partner organisation? Can I become one to gain access to the threat data used in your tests?

A Partner organisations benefit from our consultancy services after a test has been run. Partners may gain access to low-level data that can be useful in product improvement initiatives and have permission to use award logos, where appropriate, for marketing purposes. We do not share data on one partner with other partners. We do not partner with organisations that do not engage in our testing.

I am a security vendor and you tested my product without permission.

May I access the threat data to verify that your results are accurate?

A We are willing to share a certain level of test data with non-partner participants for free. The intention is to provide sufficient data to demonstrate that the results are accurate. For more in-depth data suitable for product improvement purposes we recommend becoming a partner.

APPENDIX C: Product Versions

The table below shows the service's name as it was being marketed at the time of the test.

| PRODUCT VERSIONS | | | | | |
|------------------|------------------------|--|--|--|--|
| Provider | Product Name | Build Version (start) | Build Version (end) | | |
| Avast | Free Antivirus | 19.5.2378(build 19.5.444.505) | 19.7.2388(build 19.7.4674.494) | | |
| AVG | Antivirus Free Edition | 19.5.3043(build 19.5.4444.506) | 19.6.3098 (19.6.4546.517) | | |
| Avira | Free Security Suite | 15.0.1906.1395 | 15.0.1908.1548 | | |
| Check Point | ZoneAlarm | 15.6.111.18054 | 15.6.111.18054 | | |
| Comodo | Internet Security | 12.0.0.6818 | 12.0.0.6818 | | |
| ESET | Internet Security | 12.1.34.0 | 12.1.34.0 | | |
| F-Secure | F-Safe | 17.6 | 17.7 | | |
| G-Data | Internet Security | 25.5.3.4 | 25.5.3.4 | | |
| Kaspersky Lab | Internet Security | 19.0.0.1088 (f) | 19.0.0.1088 (g) | | |
| McAfee | Internet Security | Internet Security: 16.0, SecurityCenter: 17.8, VirusScan: 22.3, Personal Firewall: 18.8, WebAdvisor: 4.0, Anti-Spam: 18.8, QuickClean and Shredder: 17.8 | Internet Security: 16.0, SecurityCenter: 17.8, VirusScan: 22.3, Personal Firewall: 18.8, WebAdvisor: 4.0, Anti-Spam: 18.8, QuickClean and Shredder: 17.8 | | |
| Microsoft | Windows Defender | Antimalware Client Version: 4.18.1905.4, Engine Version: 1.1.16000.6, Antivirus Version: 1.295.1157.0, Anti-spyware Version: 1.295.1157.0 | Antimalware Client Version: 4.18.1907.4, Engine Version: 1.1.16200.1, Antivirus Version: 1.299.2402.0, Anti-spyware Version: 1.299.2402.0 | | |
| Sophos | Home Premium | 2.1.4 | 2.1.7 | | |
| Symantec | Norton Security | 22.17.2.47 | 22.18.0.213 | | |
| Trend Micro | Internet Security | 15.0.1231 | 15.0.1231 | | |
| Webroot | Webroot Antivirus | 9.0.26.61 | 9.0.26.61 | | |

APPENDIX D: Attack Types

The table below shows how each product protected against the different types of attacks used in the test.

| ATTACK TYPES | | | | |
|-------------------------------|--------------|-----------------|-----------|--|
| Product | Web-Download | Targeted Attack | Protected | |
| Comodo Internet Security | 75 | 25 | 100 | |
| F-Secure Safe | 75 | 25 | 100 | |
| Kaspersky Internet Security | 75 | 25 | 100 | |
| Sophos Home Premium | 75 | 25 | 100 | |
| Symantec Norton Security | 75 | 25 | 100 | |
| Trend Micro Internet Security | 75 | 25 | 100 | |
| Check Point ZoneAlarm | 74 | 25 | 99 | |
| ESET Internet Security | 74 | 25 | 99 | |
| McAfee Internet Security | 74 | 25 | 99 | |
| Microsoft Windows Defender | 74 | 25 | 99 | |
| Avast Free Antivirus | 73 | 25 | 98 | |
| AVG Antivirus Free Edition | 73 | 25 | 98 | |
| Avira Free Security Suite | 73 | 25 | 98 | |
| G-Data Internet Security | 75 | 20 | 95 | |
| Webroot Antivirus | 56 | 25 | 81 | |

SE Labs Report Disclaimer

- The information contained in this report is subject to change and revision by SE Labs without notice.
- 2. SE Labs is under no obligation to update this report at any time.
- 3. SE Labs believes that the information contained within this report is accurate and reliable at the time of its publication, which can be found at the bottom of the contents page, but SE Labs does not guarantee this in any way.
- 4. All use of and any reliance on this report, or any information contained within this report, is solely at your own risk. SE Labs shall not be liable or responsible for any loss of profit (whether incurred directly or indirectly), any loss of goodwill or business reputation, any loss of data suffered, pure economic loss, cost of procurement of substitute goods or services, or other intangible loss, or any indirect, incidental, special or consequential loss, costs, damages, charges or expenses or exemplary damages arising his report in any way whatsoever.
- The contents of this report does not constitute a recommendation, guarantee, endorsement or otherwise of any of the products listed, mentioned or tested.
- 6. The testing and subsequent results do not guarantee that there are no errors in the products, or that you will achieve the same or similar results. SE Labs does not guarantee in any way that the products will meet your expectations, requirements, specifications or needs.
- Any trade marks, trade names, logos or images used in this report are the trade marks, trade names, logos or images of their respective owners.
- 8. The contents of this report are provided on an "AS IS" basis and accordingly SE Labs does not make any express or implied warranty or representation concerning its accuracy or completeness.